



Rocburn Limited

Unit 10 Rosshill Industrial Park
Sutton Road
Southend On Sea
Essex
SS2 5PZ

Tel. 0845 519 0560 Fax. 0845 519 0570
E-mail. sales@rocburn.co.uk

Folding Opener Specification Sheet

Casement Information

Opener Style.....Series (select using price list)

Window Type / Number (This will need completing for each different window)

Window Material UPVC / Timber / Aluminium / Other Please Specify

Qty.....Height in mm..... Width in mm..... Weight in Kg.....

Hinged On The?..... Opens In or Out?.....

Location Of Casements	Built Vertically In Façade	{ }	
	Built Into Inclined Façade	{ }	Please Give Pitch.....
	Built Into The Roof	{ }	

Stroke / Travel Required in mmPlease note this will depend on the size of the window & the type of window gear

Finish Required: Anodised Aluminium (as standard)
RAL Colour.....Please Specify

Window Height From Floor Level.....

Opening Pole Required? Yes / No

Pole Length? 1000mm / 1500mm / 2000mm

Connecting Rods For Larger Windows

Based on the information provided we will advised whether we recommend using more than one opener with a connecting rod for your window type

Please Fax Back To: 0845 519 0570 or Email To: sales@rocburn.co.uk

Please call 0845 519 0560 if you have any questions




Rocburn Limited

Unit 10 Rosshill Industrial Park
 Sutton Road
 Southend On Sea
 Essex
 SS2 5PZ


Tel. 0845 519 0560 Fax. 0845 519 0570
 E-mail. sales@rocburn.co.uk

Folding Opener Specification Sheet

Please give finished visible frame only



Please give finished visible frame only




Please Fax Back To: 0845 519 0570 or Email To: sales@rocburn.co.uk

Please call 0845 519 0560 if you have any questions

Folding Opener Specification Sheet

Please give finished visible frame only



Please Fax Back To: 0845 519 0570 or Email To: sales@rocburn.co.uk

Please call 0845 519 0560 if you have any questions